



SearchTransactionDetails API GATEWAY DOC

Ujjivan Small Finance Bank Limited

Grape Garden, No.27, 3rd A Cross, 18th Main, 6th Block, Koramangala, Bengaluru – 560 095

This document is for Internal Use Only and may not be reproduced in any form without consent of company

Table of Contents

| | |
|---|----------|
| 1. INTRODUCTION | 1 |
| 2. API CONNECT COMPONENTS | 1 |
| 3. TO ACCESS & SUBSCRIBE IN PORTAL | 1 |
| 4. API AUTHENTICATION | 1 |
| 5. SearchTransactionDetails API | 2 |
| 6. SAMPLE PAYLOAD | 5 |

1. INTRODUCTION

1.1 Design Document Purpose

The purpose of this document is to provide a detailed specification of the **SearchTransactionDetails** in sufficient depth to:

- Enable the component to be built and tested.
- Ensure that it can be enhanced, supported and maintained by other areas of the organization after initial implementation.

1.2 Design Reviews

The service design will be reviewed within Middleware team and security testing team as needed. Once finalized, design resource will provide an overview to other teams such as front-end application development team and various project resources.

2. API CONNECT COMPONENTS

- API Connect is used to expose the service to front end applications.
- Within API Connect, there are multiple Products. The **SearchTransactionDetails** API is exposed within **SearchTransactionDetails Product**.
- Service Consumers must subscribe to the API. A unique application Identification (client-id) and a secret will be generated.
- The assigned Client-id must be supplied in the header for each API.
- URLs for invoking the services can be found in API Connect Developer portal and mentioned in the below section.

3. TO ACCESS & SUBSCRIBE IN PORTAL

Refer Subscription User manual shared during initial on board.

4. API AUTHENTICATION

JWT Access token to be passed in JSON wrapper as string value in "JWTTokenValue" field. The Token can be generated by subscribing to **TOKEN API**.

3.1 TOKEN API

- **Overview:** To retrieve access token.
- **Method:** POST
- **Mandatory HTTP Headers:**
 - X-IBM-Client-Id: xxxxxxxxxxxxxxxx
 - X-IBM-Client-Secret: xxxxxxxxxxxxxxxx
- **SIT URL:** <https://apiuat.ujjivansfb.in/ujjivan/development/v1/tokens>

5. SearchTransactionDetails API

➤ Overview:

Service is designed to search the transaction details based on the search parameters. The API Gateway makes a backend ESB call which in turn connects to **TxnSearch**.

➤ Method: POST

➤ API URL:

UAT : <https://apiuat.ujjivansfb.in/ujjivan/development/v1/TxnSearch/searchTrnDetails>

PROD : To be done

➤ Mandatory HTTP Headers:

- X-IBM-Client-Id: xxxxxxxxxxxxxxxx

➤ Accept: application/json

➤ Content-type: application/json

➤ REQUEST PAYLOAD:

At API Gateway, the request has to be passed as JSON wrapper. The sample payload is as below,

```
{
  "RequestEncryptedValue": "",
  "TransactionId": "",
  "JWTTokenValue": ""
}
```

The individual fields of the Standard JSON Request Payload are described below-

- **RequestEncryptedValue** : This will contain the encrypted value of original REST-JSON request sample.
- **TransactionId** : External partners need to set a transaction ID to uniquely identify every request, in order to retrieve it from an audit trail at a later date.
- **JWTTokenValue** : This value can be obtained by invoking Bank's token generator service.

(For more details on request encryption Refer UjjivanSFB_API_Integration_TechnicalProcess_document)

➤ Actual REST-JSON Input Parameter:

| Element Name | M/O/C | Data Type |
|--|---------|-----------|
| searchTrnDetailsReq /reqHdr | Complex | |
| reqHdr/consumerContext/applicationId | M | String |
| reqHdr/ serviceContext/ uniqueMsgId | M | String |
| reqHdr/ serviceContext/ reqMsgDateTime | M | DateTime |
| reqHdr/ serviceContext/ serviceName | M | String |
| reqHdr/ serviceContext/ serviceVersion | O | String |

| | | |
|-------------------------------------|-----|---------|
| reqHdr/ providerContext/ providerId | O/F | String |
| reqHdr/ userContext/ appUserID | M | String |
| reqHdr/ userContext/ appPassword | M | String |
| searchTrnDetailsReq/ body | M | Complex |
| body/ acctNumber | M | String |
| body/ fromDate | M | Date |
| body/ toDate | M | Date |
| body/ trnType | O | String |
| body/ minAmt | O | Decimal |
| body/ maxAmt | O | Decimal |
| body/ chequeNumber | O | Number |
| body/ beneficiaryAcctNumber | O | String |
| body/ paymentMethod | O | String |
| body/ utrNumber | O | String |
| body/ rrnNumber | O | String |

➤ RESPONSE PAYLOAD STRUCTURE

A standard JSON wrapper containing encrypted response will be obtained. The encrypted response is of AES/CBC/256 mode with Initialization vector concatenated at the start of original JSON response.

The sample response structure is as below,

```
{
  "ResponseOfEncryptedValue": "<encrypted value>",
  "TransactionId": "162193467244544"
}
```

Using the static key shared by Ujjivan Bank, decryption of the value in tag ResponseEncryptedValue should be performed with AES/CBC/256/IV

TransactionId: This field will contain the transaction ID which was passed in request.

(For more details on response encryption Refer UjjivanSFB_API_Integration_TechnicalProcess_document)

➤ ACTUAL OUTPUT PARAMETERS:

| Element Name | M/O/C | Type |
|--------------|-------|------|
|--------------|-------|------|

| | | |
|--|---------|--------------------|
| searchTrnDetailsReq /resHdr | Complex | |
| resHdr/consumerContext/applicationId | M | String |
| resHdr/consumerContext/ terminalId | O | String |
| resHdr/ serviceContext/ uniqueMsgId | M | String |
| resHdr/ serviceContext/ reqMsgDateTime | O | DateTime |
| resHdr/ serviceContext/ timeZone | O | String |
| resHdr/ serviceContext/ serviceName | M | String |
| reqHdr/ serviceContext/ serviceVersion | O | String |
| resHdr/ serviceContext/ conversationId | O | String |
| resHdr/ serviceContext/ parentMsgId | O | String |
| resHdr/ providerContext/ providerId | M | String |
| resHdr/ providerContext/ responseMsgDateTime | O | DateTime |
| resHdr/responseStatus/status | M | String |
| resHdr/responseStatus/ esbResDateTime | M | DateTime |
| resHdr/responseStatus/ errorSource | O | String |
| resHdr/responseStatus/ errorCode | C | String |
| resHdr/responseStatus/ errorDescription | C | String |
| resHdr/responseStatus/ errorType | O | String |
| resHdr/ additionalDetails/ details1 | O/F | String |
| resHdr/ additionalDetails/ details1 | O/F | String |
| resHdr/ additionalDetails/ details1 | O/F | String |
| searchTrnDetailsRes/ body/ trnDtls | M | Complex/ Repeating |
| trnDtls/ postedDt | M | Date |
| trnDtls/ instrumentId | O | String |
| trnDtls/ trnAmt | M | Decimal |
| trnDtls/ trnDt | M | Date |
| trnDtls/ trnDescription | M | String |
| trnDtls/ balanceAmt | M | Decimal |
| trnDtls/ trnType | M | String |
| trnDtls/ trnSubType | M | String |

| | | |
|--------------------------------------|---|---------|
| trnDtls/ trnId | M | String |
| trnDtls/ serialNumber | M | String |
| trnDtls/ valueDate | M | Date |
| trnDtls/ channelId | M | String |
| searchTrnDetailsRes / body/errorInfo | O | Complex |
| errorInfo/errorCode | M | String |
| errorInfo/errorDescription | M | String |
| errorInfo/errorType | O | String |
| errorInfo/errorSource | O | String |

➤ Error Handling

| HTTP Status Code | HTTP Message | More Information |
|------------------|---------------------|---|
| 401 | Unauthorized | Access token missing or validation |
| 400 | Bad Request | The parameters are invalid or missing. |
| 503 | Service Unavailable | The parameters were valid but the request failed. |

6. SAMPLE PAYLOAD



SearchTransactionDetails - Req_Res.txt

-----END OF DOCUMENT-----